

## Mark Scheme (Results)

Summer 2017

www.exam.mate

Pearson Edexcel International Advanced Level In Biology (WBI01) Paper 01 Lifestyle, Transport, Genes and Health



## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at <a href="https://www.edexcel.com">www.edexcel.com</a>.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

## Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: <a href="https://www.pearson.com/uk">www.pearson.com/uk</a>

Summer 2017
Publications Code WBI01\_01\_1706\_MS
All the material in this publication is copyright
© Pearson Education Ltd 2017

## **General Marking Guidance**

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question	Answer	Mark
Number		
1(a)(i)	1(a)(i). The only correct answer is C	
	A is not correct because adenine pairs with thymine	
	<b>B</b> is not correct because adenine pairs with thymine	
	2 is not correct because addrine pairs with try mine	
	<b>D</b> is not correct because uracil is not used in DNA	(1)

Question	Answer	Mark
Number		
1(a)(ii)	1(a)(ii). The only correct answer is C	
	<b>A</b> is not correct because N labels a hydrogen bond which is not a covalent bond	
	<b>B</b> is not correct, glycosidic bonds are formed between sugars and are not present in DNA	
	<b>D</b> is not correct because N labels a hydrogen bond which is not the phosphodiester bond that joins nucleotides to form chains of polynucleotide	(1)

Question	Answer	Mark
Number		
1(a)(iii)	1(a)(iii). The only correct answer is C	
	<b>A</b> is not correct because box P contains a base	
	<b>B</b> is not correct because box Q contains a nucleoside (deoxyribose and base)	
	Is not correct because box Q contains a nacieoside (deoxynbose and base)	
	<b>D</b> is not correct because box S contains a pair of complementary bases	(1)

Question	Answer	Additional guidance	Mark
Number			
1(b)	deoxyribose;	IGNORE pentose/sugar	
			(1)

Question	Answer	Additional guidance	Mark
Number			
1(c)(i)	1. both strands of original DNA (molecule) are copied/replicated/act as templates;	ACCEPT MP1 and 2 from a correctly labelled diagram	
	2. idea that {daughter / new / eq} DNA molecules contain one original strand and one new strand;		(2)

Question Number	Answer	Additional guidance	Mark
1(c)(ii)	Meselson and Stahl ;	ACCEPT phonetic spellings	(1)

Total for Question 1 = 7 MARKS

Question	Answer	Additional guidance	Mark
Number			
2(a)	1. allele is an (alternative) form/version of a gene;	MP1 do not accept type of	
		gene	
	2. only expressed in individuals homozygous for the allele/eq;	MP2 ACCEPT not expressed if dominant allele present/if	
		heterozygous	(2)

Question	Answer	Additional guidance	Mark
Number			
2(b)		IGNORE Punnett squares/genetic	
		crosses	
	1. parents and offspring for each generation identified;	MP1 ALLOW family	
		history/ancestry	
	2. phenotype(s) identified ;	ant.	
		MP2 ALLOW identification of	
		individuals with/without condition	
	3. for {HC /recessive condition} two normal/unaffected parents	No.	
	may have {one or more / some / eq} offspring that are	MP2 and 3-IGNORE ref to carriers	
	affected ;	as this refers to genotype	(3)

Question Number	Answer	Additional guidance	Mark
2(c)	1. amniocentesis ;	If method does not match description do not award first	
	2. amniotic fluid collected;	mark.	
	3. between 14 and 20 weeks of pregnancy;		
	4. cells are cultured (for 2-3 weeks);	MP3 and 7 ACCEPT given time(s) within the stated range	
	5. chorionic villus sampling/CVS ;		
	6. sample taken from placenta ;	MP6 IGNORE from chorionic villi	
	7. between 8 and 12 weeks of pregnancy;	ordin-inate, com	
	8. DNA analysed (for recessive allele);	ex. c.	(4)

Total for Question 2 = 9 MARKS

Question Number	Answer	Mark
3(a)(i)	3(a)(i). The only correct answer is B	
	<b>A</b> is not correct because the correct sequence of events is atrial systole $\rightarrow$ ventricular systole $\rightarrow$ atrial diastole $\rightarrow$ ventricular diastole	
	$m{C}$ is not correct because the correct sequence of events is atrial systole $ o$ ventricular systole $ o$ atrial diastole $ o$ ventricular diastole	
	$m{D}$ is not correct because the correct sequence of events is atrial systole $ o$ ventricular systole $ o$ atrial diastole $ o$ ventricular diastole	(1)

Question	Answer	Mark
Number		
3(a)(ii)	3(a)(ii). The only correct answer is D	
	<b>A</b> is not correct because at 0.5 seconds the ventricle is filling so atrioventricular valves are open and the semilunar valves closed	
	<b>B</b> is not correct because at 0.5 seconds the ventricle is filling so atrioventricular valves are open and the semilunar valves closed	
	<b>D</b> is not correct because at 0.5 seconds the ventricle is filling so atrioventricular valves are open and the semilunar valves closed	(1)

Question	Answer	Mark
Number		
3(a)(iii)	3(a)(iii). The only correct answer is D	
	<b>A</b> is not correct because at 0.22 seconds the atria is in diastole	
	<b>B</b> is not correct because at 0.52 seconds the atria is in diastole	
	b is not correct because at 0.32 seconds the atha is in diastole	
	C is not correct because at 0.72 seconds the atria is in diastole	(1)

Question	Answer	Additional guidance	Mark
Number			
3(a)(iv)	1. 0.8 (seconds);	MP1 ACCEPT: 0.79 (seconds)	
		mai	
	2. 75 (beats per minute) ;	MP 2: ACCEPT 76	
		Over	
		Correct answer with no working	
		shown gains both marks	(2)

Question Number	Answer	Additional guidance	Mark
3(b)(i)		ACCEPT converses for MPs 1, 2 and 3	
	1. (training) reduces/lowers the heart rate;		
	In a trained person heart rate does not increase as much during exercise;	MP2 IGNORE: rate of increase	
	3. idea that during exercise heart rate plateaus/levels off (in a trained person);		(3)

Question Number	Answer	Additional guidance	Mark
3(b)(ii)	1. low blood pressure ;		
	2. low heart rate ;		
	3. {heart/cardiac muscle} is stronger;		
	4. not overweight ;	MP4 ALLOW lower BMI/less body fat	
	5. changes LDL/HDL ratio/lowers cholesterol;		(2)

Total for Question 3 710 MARKS

Question	Answer	Additional guidance	Mark
Number			
4(a)(i)	<ol> <li>glucose and fructose;</li> <li>joined by condensation reaction / water produced;</li> </ol>	ACCEPT a correctly annotated diagram. MP1 IGNORE: references to alpha and beta	
	3. forming a glycosidic {bond/link};	MP3 IGNORE: numbered bonds	(3)

Question	Answer	Additional guidance	Mark
Number			
4(a)(ii)	<ol> <li>(many) glucose molecules joined by glycosidic {bonds /links};</li> </ol>	mate com	
	2. amylose and amylopectin ;	Tringle	
	<ol><li>amylose {is linear / is unbranched / is helical / has 1,4 bonds};</li></ol>	MP4 ACCEPT: has many terminal	
	4. amylopectin {is branched / has 1,4 and 1,6 bonds};	ends	(3)

Question	Answer	Additional guidance	Mark
Number			
4(b)(i)	as the percentage of added sugar increases the (LDL:HDL) ratio increases;	MP1 ACCEPT: there is a positive correlation between added sugar and ratio	
	2. (resulting in) high level of LDLs in the blood;		
	<ol><li>high {ratio/ level of LDLs} is a risk factor for {CVD/atherosclerosis};</li></ol>		(3)

Question	Answer	Additional guidance	Mark
Number			
4(b)(ii)	1. CVD takes a long time to develop;		
	<ol> <li>Added sugar has no { obvious / immediate / eq } adverse effect;</li> </ol>		
	3. not knowing about the risks of added sugar / eq;		(2)

Question Number	Answer	Additional guidance	Mark
4(b)(iii)	1. statins lower (LDL) cholesterol;		
	2. (statins) reduce the ratio of LDL to HDL ;	com	
	3. effects of sugar intake might be counteracted by effect of statins ;	o.xtini-mate.	
	4. if they were included the study would not be not valid;	MP 4 IGNORE reliability /accuracy	(2)

**Total for Question 4 = 13 MARKS** 

Question	Answer	Additional guidance	Mark
Number			
5(a)(i)	1. measurement of 13 (mm) / ÷ by 12;	ALLOW: 1.3 (cm)	
	2. 1.1 (mm) ;	ALLOW: 1.08 (mm)	
		IGNORE: answers to more than 2 decimal places	
		Correct answer with no working gains full marks	(2)

Question	Answer	Additional guidance	Mark
Number			
5(a)(ii)	<ol> <li>(vein) walls {are thinner / have less collagen} because blood pressure is lower;</li> </ol>	ACCEPT converse explanations for arteries only with a clear comparison	
	<pre>2. (veins) have {less / no} elastic fibres as they do not need to     {stretch/ recoil};</pre>	MP2 ACCEPT: arteries have elastic fibres which smooth out blood flow	
	3. (veins) have valves to prevent the back flow of blood;		
	4. (veins) have a large lumen to reduce resistance to blood flow/eq;		(2)

Question Number	Answer	Additional guidance	Mark
5(b)(i)	1. Idea of slow blood flow in (large) veins;		
	2. initiates clotting cascade ;	MP2 ACCEPT: release of thromboplastin, thrombokinase or	
	3. prothrombin converted to thrombin ;	platelet activation	
	4. leading to conversion of fibrinogen to fibrin ;		
	5. fibrin is insoluble ;		
	6. trapping {red blood cells / platelets} (to form a clot);	on <sup>n</sup>	(4)
		*6.50	

		X U	
Question Number	Answer	Additional guidance	Mark
5(b)(ii)	1. clots formed in veins move to the lungs / eq;	nun exte	
	2. clots block blood vessels ;	MP2 ACCEPT named blood vessels, but IGNORE lumen.	
	3. reduced blood flow (through lungs);		
	4. reduced {gas exchange /uptake of oxygen} in the lungs ;		
	5. idea that oxygen is still being removed from the blood elsewhere in the body;		(3)

Question	Answer	Additional guidance	Mark
Number			
5(b)(iii)	1. changes in {breathing rate / oxygen concentration} could be due to another cause ;		
	2. fibrin fragments can be found in both VTE and non-VTE patients;		
	idea that using all three criteria increases diagnostic accuracy;		(2)

Total for Question 5 = 13 MARKS

www.exam.mate.com

Question Number	Answer	Additional guidance	Mark
6(a)(i)	phospholipid;	DO NOT ACCEPT: phospholipid bilayer/layer	(1)

Question Number	Answer	Additional guidance	Mark
6(a)(ii)	(phospholipids) form a bilayer as they have a polar head and non-polar tails;	MP1 ACCEPT: hydrophilic and hydrophobic.	
	2. proteins are located between the phospholipids;	MP2 ALLOW: embedded in bilayer	
	3. (because of) interactions between R groups of proteins and phospholipids;	bilayer nr.mate.com	
	4. phospholipids are free to move which makes the membrane fluid;	nbiu extantin	(3)

Question Number	Answer	Additional guidance	Mark
6(b)(i)		IGNORE: any reference to absorbance	
	<ol> <li>as the pH increases from pH2 to pH4 the permeability decreases;</li> </ol>	<b>MP1 ACCEPT:</b> pH 2 has the highest permeability;	
	2. between pH4 and pH6 the permeability is {low / constant};		(2)
	<ol><li>as the pH increases from pH6 (to pH12) the permeability increases;</li></ol>		(2)

Question Number	Answer	Additional guidance	Mark
6(b)(ii)	1. idea that when the pH is {high / low} the proteins are {denatured /damaged};	MP1 ACCEPT extremes of pH	
	2. therefore holes are created in the membrane;	ALLOW damage/disruption to membrane	(2)

Total for Question 6 = 8 MARKS

WWW. Exam mate. com

Question	Answer	Mark
Number		
7(a)	7(a). The only correct answer is C	
	<b>A</b> is not correct because the bond between amino acids is a peptide bond the ester bond joins fatty acids and glycerol molecules	
	<b>B</b> is not correct because the bond between amino acids is a peptide bond the glycosidic bond joins sugar molecules in polysaccharides	
	<b>D</b> is not correct because the bond between amino acids is a peptide bond the phosphodiester bond joins fatty nucleic acids together in a polynucleotide	(1)

unul examinate com

Question Number	Answer	Additional guidance	Mark
*7(b)(i)	(QWC – Spelling of technical terms must be correct and the answer must be organised in a logical sequence)	QWC emphasis is logical sequence [penalise once only]	
	(transcription of the prolidase gene) occurs in the nucleus;		
	2. DNA unwinds ;	MP2 ACCEPT DNA strands separate or unzip	
	3. (RNA) nucleotides bind to DNA;	MP3 ACCEPT forming H bonds for binding, must give some idea of attachment, not just pairing	
	4. to the {template / antisense} strand of DNA;	MP5 ACCEPT examples of complementary base pairing	
	5. by complementary base pairing ;	nu extit	
	6. RNA polymerase joins the (RNA) mononucleotides together;	QWC marks: identify all marks scored, and if a QWC deduction applies subtract one mark	
	7. by the formation of phosphodiester bonds;		(5)

Question Number	Answer	Additional guidance	Mark
7(b)(ii)	1. idea that a mutation is a change in {base / nucleotide} sequence (of the prolidase gene);		
	2. change in the primary structure (of prolidase);	MP2 ACCEPT: change in sequence of amino acids or R groups	
	3. change in the bonds (that are involved in the folding);	MP3 ACCEPT: any correct type of bond	
	4. change in the shape of {prolidase / enzyme / active site};	MP4 ACCEPT: 3D or tertiary structure	(4)
	5. idea that no enzyme-substrate complexes formed ;	*0.00	

Total for Question 7 = 10 MARKS

Question Number	Answer	Additional guidance	Mark
8(a)(i)	1. 135.0	This can be calculated in two different ways.	
	2. 60 (%)	Either correct answer with no working	
	Or	gains 2 marks.	
	3. 135.0		
	4. 150 (%)		(2)

Question	Answer	Additional guidance	Mark
Number			
8(a)(ii)	1. it is long and thin ;	nuit.cc	
	2. it has a large surface area to volume ratio ;	azdin-it	
	3. oxygen enters the body by diffusion ;	www.e.	
	4. idea of outer surface of <i>T. tubifex</i> is permeable to gases ;		(3)

Question Number	Answer	Additional guidance	Mark
*8(b)	(QWC – Spelling of technical terms must be correct and the answer must be organised in a logical sequence)	QWC emphasis is spelling of technical terms [penalise once only]	
	1. walls of <i>alveoli</i> are thin ;	MP1 and 2 ACCEPT that walls are made of one layer of flattened cell	
	2. walls of <i>capillaries</i> are thin ;		
	3. idea of short <i>diffusion</i> distance ;		
	4. idea that <i>alveoli</i> are covered with <i>capillaries</i> ;		
	5. idea that the large number of {alveoli / capillaries} provide a large surface area;	MP5 do not ACCEPT: large surface to volume area	
	6. idea that <i>concentration</i> gradient maintained by { <i>ventilation</i> / breathing / eq };	to volume area	
	7. idea that <i>concentration</i> gradient maintained by blood flow;	UUU	(5)

Total for Question 8 = 10 MARKS

**TOTAL FOR PAPER = 80 MARKS** 

Further copies of this publication are available from Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467 Fax 01623 450481

Email <u>publication.orders@edexcel.com</u>

Order Code

For more information on Edexcel qualifications, please visit our website www.edexcel.com

Pearson Education Limited. Registered company number 872828 with its registered office at 80 Strand, London, WC2R ORL, United Kingdom





